KERN FOB 0.5K-4NS



Super compact stainless steel balance with high level of protection against dust and water splashes



Measuring system	
Adjustment options:	External calibration
Linearity:	200 mg
Readability [d]:	100 mg
Recommended adjusting weight:	500 g (M1)
Repeatability:	100 mg
Resolution:	5000
Stabilisation time under laboratory conditions:	2 \$
Tare range:	500 g
Warm up time:	10 min
Weighing capacity [Max]:	500 g
Weighing system:	Strain gauge
Weighing units:	dwt g lb oz ozt

Display digit height:	2 cm
Environmental conditions	
Maximum humidity:	95 %
Maximum operating temperature:	35 °C
Minimum ambient temperature:	10 °C
Minimum humidity:	25 %

Display

William Harmany.	20 70
Power supply	
Battery:	9 V Block
Input voltage:	230 V AC 50 Hz
n/a:	Mains adapter external

Power supply	
Operating time:	24 h

Service

Adjustment at the location of installation: 961-247

DAkkS Certificate: 963-127

Category

Brand: KERN
Category: Balances
Product Group: Bench scale

Packaging & shipping

Delivery: 24 h

Dimensions packaging (WxDxH): 255 x 195 x 75 mm

Gross weight: 886 g

Net weight: 760 g

Shipping method: Parcel service

Construction

Casing material: stainless steel

Dimensions housing (WxDxH): 170 x 150 x 40 mm

Dimensions of weighing plate 120 x 150 x 10 mm

(WxDxH):

Material weighing plate: stainless steel

Weighing surface (WxD): 120 x 150 mm

Piktogramme

STANDARD



OPTION

